

CLASS 1

Building Product Information Sheet

Product name (include the brand name):

XPRESS DRYWALL GRID SYSTEM - 5313KL

Product description and its intended use:

The Rondo XPRESS® Drywall Grid System provides the framework for a variety of lay-in tiles including; acoustic, perforated plasterboard, PVC laminated, and metal. the Rondo Xpress® Drywall Grid Ceiling System offers design flexibility for flush plasterboard ceilings, bulkheads and boxed soffits.

Suitable for:

Concealed ceiling systems, Plasterboard, fibrous plaster and fibre cement linings, Direct fix or fully suspended applications, Seamless transition from a concealed to exposed grid ceiling, Bulkheads and boxed soffits, Corridors, without the use of suspension hangers, Fire-rated applications, Seismic requirements, Acoustic ceiling solutions.

Compatible with Rondo DONN® Exposed Grid Ceiling System

Product identifier (if applicable):

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Rondo Building Services Pty Ltd

Address for service:

STREET NAME **Building C1, 373 Neilson Street**

SUBURB **Penrose**

CITY, COUNTRY **Auckland, New Zealand**

POSTCODE **1061**

Website:

www.rondo.co.nz

Email address:

rondo@rondo.com.au

Phone no. (if applicable):

64 9 636 5110

NZBN (if applicable):

Legal and trading name of the importer (if applicable):

Address for service:

STREET NAME	SUBURB
-------------	--------

CITY, COUNTRY	POSTCODE
---------------	----------

Website:

Email address:

Phone no. (if applicable):

NZBN (if applicable):

Relevant Building Code clauses:

-

Statement on how the building product is expected to contribute to compliance:

-

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

-

Design requirements that would support the appropriate use of the building product:

- Rondo recommends that you seek professional advice relating to your unique architectural and building requirements, and that of the building code, to ensure the design is compliant.
- If a compliant design is required for your project, we recommend that you contact Rondo NZ to obtain a design that is specifically customised to your project requirements. This service is complementary.

Installation requirements *(also provide link to the product installation guide)*:

- Rondo recommends that this System is installed by a qualified trades person and according to the relevant building codes and standards.
- Refer to the Installation guide/manual for more information.

Maintenance requirements *(also provide link to the product maintenance guide)*:

- There are no specific or periodical maintenance requirements for Rondo KEY-LOCK® Concealed Ceiling System when installed in accordance with the design and installation requirements listed above.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Date:

0 | 1 | 0 | 3 | 2 | 3