

CLASS 1

Building Product Information Sheet

Product name (include the brand name):

EXANGLE® Plastering Beads

Product description and its intended use:

The Rondo EXANGLE® range of plastering beads are manufactured to assist contractors in obtaining a strong, straight, knock-resistant corner with a superior finish that lasts. Available for a variety of applications including internal and external corners, shadowlines, archways, control joints, bullnose corners and edge capping.

Choice of perforated or Expanded profiles.
Nail holes on selected profiles for easy installation.
Minimum coating of Z200.
Made from 0.30-0.50BMT Galvabond or Zincanneal Steel to provide ideal stiffness.

Product identifier (if applicable):

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

Rondo Building Services Pty Ltd

Address for service:

STREET NAME 57-87 Lockwood Rd

SUBURB Erskine Park

CITY, COUNTRY Sydney, Australia

POSTCODE 2759

Website:

www.rondo.com.au

Email address:

rondo@rondo.com.au

Phone no. (if applicable):

1300 36 7663

NZBN (if applicable):

Legal and trading name of the manufacturer/importer:

Rondo Building Services Pty Ltd

Address for service:

STREET NAME	Building C1, 373 Neilson St	SUBURB	Penrose
-------------	-----------------------------	--------	---------

CITY, COUNTRY	Auckland, New Zealand	POSTCODE	1061
---------------	-----------------------	----------	------

Website:

www.rondo.co.nz

Email address:

Rondo.NewZealand@rondo.co.nz

Phone no. (if applicable):

64 9 636 5110

NZBN (if applicable):

Relevant Building Code clauses:

B2 Durability: Performance clauses B2.3.1 (c)

Statement on how the building product is expected to contribute to compliance:

Rondo provides 10years of product warranty against defect which complies NZBC B2 - Durability for non-structural building elements that are easy to access and replace which requires 5 years of design life.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

Internal use only

Design requirements that would support the appropriate use of the building product:

There are no specific design requirements for this product.

Installation requirements *(also provide link to the product installation guide)*:

Rondo recommends that this product is installed by a qualified trades person in accordance with relevant codes and standards. Refer to Rondo literature (www.rondo.co.nz)

Maintenance requirements *(also provide link to the product maintenance guide)*:

There are no specific or periodical maintenance requirements for this product.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Date: 01/12/2023